



# PUBLIC SAFETY DIVISION ANNOUNCEMENT

## Suggested Media

### Instructions:

Please run at your discretion.

### Media Inquiries:

[MCKmedia@mck.ca](mailto:MCKmedia@mck.ca)

## Mohawk Council of Kahnawà:ke

Kahnawà:ke Mohawk  
Territory  
P.O. Box 720  
J0L 1B0

Tel: (450) 632-7500

Fax: (450) 638-5958

*As per the MCK  
Communications Protocol,  
all media requests must be  
arranged through the Public  
Relations / Communications  
Unit*

## Swimming in Tioweró:ton suspended due to elevated bacteria levels

**(Kahnawà:ke – 14, Seskehkó:wa/September 2023)**

The Public Safety Division of the Mohawk Council of Kahnawà:ke would like to advise the community that the Falls area and the top and bottom of the First Bridge in Tioweró:ton are closed for swimming due to elevated bacteria levels.

Recent water sampling by technicians from Environmental Health Services (EHS) of Kahnawake Shakotiiia'takehnhas Community Services has revealed an unacceptable increase in bacteria and recommends staying out of the water until levels return to what is considered adequate for swimming and recreation.

EHS will test the waters again next week. The community will be kept up to date on further developments.

For more information, please contact Environmental Health Services at 450-635-9945 or the Public Safety Unit at **450-632-0635**.